



complement component 2 deficiency

Complement component 2 deficiency is a disorder that causes the immune system to malfunction, resulting in a form of immunodeficiency. Immunodeficiencies are conditions in which the immune system is not able to protect the body effectively from foreign invaders such as bacteria and viruses. People with complement component 2 deficiency have a significantly increased risk of recurrent bacterial infections, specifically of the lungs (pneumonia), the membrane covering the brain and spinal cord (meningitis), and the blood (sepsis), which may be life-threatening. These infections most commonly occur in infancy and childhood and become less frequent in adolescence and adulthood.

Complement component 2 deficiency is also associated with an increased risk of developing autoimmune disorders such as systemic lupus erythematosus (SLE) or vasculitis. Autoimmune disorders occur when the immune system malfunctions and attacks the body's tissues and organs. Between 10 and 20 percent of individuals with complement component 2 deficiency develop SLE. Females with complement component 2 deficiency are more likely to have SLE than affected males, but this is also true of SLE in the general population.

The severity of complement component 2 deficiency varies widely. While some affected individuals experience recurrent infections and other immune system difficulties, others do not have any health problems related to the disorder.

Frequency

In Western countries, complement component 2 deficiency is estimated to affect 1 in 20,000 individuals; its prevalence in other areas of the world is unknown.

Genetic Changes

Complement component 2 deficiency is caused by mutations in the *C2* gene. This gene provides instructions for making the complement component 2 protein, which helps regulate a part of the body's immune response known as the complement system. The complement system is a group of proteins that work together to destroy foreign invaders, trigger inflammation, and remove debris from cells and tissues. The complement component 2 protein is involved in the pathway that turns on (activates) the complement system when foreign invaders, such as bacteria, are detected.

The most common *C2* gene mutation, which is found in more than 90 percent of people with complement component 2 deficiency, prevents the production of complement component 2 protein. A lack of this protein impairs activation of the complement pathway. As a result, the complement system's ability to fight infections is diminished.

It is unclear how complement component 2 deficiency leads to an increase in autoimmune disorders. Researchers speculate that the dysfunctional complement system is unable to distinguish what it should attack, and it sometimes attacks normal tissues, leading to autoimmunity. Alternatively, the dysfunctional complement system may perform partial attacks on invading molecules, which leaves behind foreign fragments that are difficult to distinguish from the body's tissues, so the complement system sometimes attacks the body's own cells. It is likely that other factors, both genetic and environmental, play a role in the variability of the signs and symptoms of complement component 2 deficiency.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- C2 deficiency
- C2D
- complement 2 deficiency

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Complement component 2 deficiency
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3150275/>

Other Diagnosis and Management Resources

- MedlinePlus Encyclopedia: Complement
<https://medlineplus.gov/ency/article/003456.htm>
- MedlinePlus Encyclopedia: Immunodeficiency Disorders
<https://medlineplus.gov/ency/article/000818.htm>
- Primary Immune Deficiency Treatment Consortium
<http://www.rarediseasesnetwork.org/cms/PIDTC>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>

- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Complement
<https://medlineplus.gov/ency/article/003456.htm>
- Encyclopedia: Immunodeficiency Disorders
<https://medlineplus.gov/ency/article/000818.htm>
- Health Topic: Immune System and Disorders
<https://medlineplus.gov/immunesystemanddisorders.html>
- Health Topic: Lupus
<https://medlineplus.gov/lupus.html>

Genetic and Rare Diseases Information Center

- Complement component 2 deficiency
<https://rarediseases.info.nih.gov/diseases/1452/complement-component-2-deficiency>

Additional NIH Resources

- National Institute of Allergy and Infectious Diseases: Primary Immune Deficiency Diseases
<https://www.niaid.nih.gov/diseases-conditions/primary-immune-deficiency-diseases-pidds>

Educational Resources

- Boston Children's Hospital: Primary Immunodeficiency
<http://www.childrenshospital.org/conditions-and-treatments/conditions/p/primary-immunodeficiency>
- Disease InfoSearch: Complement Component 2 Deficiency
<http://www.diseaseinfosearch.org/Complement+Component+2+Deficiency/1755>
- Johns Hopkins Medicine: Allergies and the Immune System
http://www.hopkinsmedicine.org/healthlibrary/conditions/adult/allergy_and_asthma/allergies_and_the_immune_system_85,P00039/

- KidsHealth from Nemours: Immune System
<https://kidshealth.org/en/parents/immune.html>
- MalaCards: c2 deficiency
http://www.malacards.org/card/c2_deficiency
- Merck Manual Professional Version: Complement System
<http://www.merckmanuals.com/professional/immunology-allergic-disorders/biology-of-the-immune-system/complement-system>
- Orphanet: Immunodeficiency due to a classical component pathway complement deficiency
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=169147

Patient Support and Advocacy Resources

- Immune Deficiency Foundation
<http://primaryimmune.org/>
- Primary Immunodeficiency Resource Center
<http://www.info4pi.org/>
- Resource List from the University of Kansas Medical Center: Immune Deficiency Conditions
<http://www.kumc.edu/gec/support/immune.html>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?term=%22complement+component+2+d+efficiency%22+%5BDISEASE%5D+OR+%22complement+2+deficiency%22+%5BDISEASE%5D+OR+NCT00006319+%5BBID-NUMBER%5D>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28complement+component+2+deficiency%29+OR+%28c2+deficiency%5BTIAB%5D%29+OR+%28complement+2+deficiency%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- COMPLEMENT COMPONENT 2 DEFICIENCY
<http://omim.org/entry/217000>

Sources for This Summary

- Jönsson G, Sjöholm AG, Truedsson L, Bengtsson AA, Braconier JH, Sturfelt G. Rheumatological manifestations, organ damage and autoimmunity in hereditary C2 deficiency. *Rheumatology (Oxford)*. 2007 Jul;46(7):1133-9. Epub 2007 May 3.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17478473>
- Jönsson G, Truedsson L, Sturfelt G, Oxelius VA, Braconier JH, Sjöholm AG. Hereditary C2 deficiency in Sweden: frequent occurrence of invasive infection, atherosclerosis, and rheumatic disease. *Medicine (Baltimore)*. 2005 Jan;84(1):23-34.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15643297>
- Sjöholm AG, Jönsson G, Braconier JH, Sturfelt G, Truedsson L. Complement deficiency and disease: an update. *Mol Immunol*. 2006 Jan;43(1-2):78-85. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16026838>
- Skattum L, van Deuren M, van der Poll T, Truedsson L. Complement deficiency states and associated infections. *Mol Immunol*. 2011 Aug;48(14):1643-55. doi: 10.1016/j.molimm.2011.05.001. Epub 2011 May 31. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21624663>
- Truedsson L, Bengtsson AA, Sturfelt G. Complement deficiencies and systemic lupus erythematosus. *Autoimmunity*. 2007 Dec;40(8):560-6. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18075790>
- Wen L, Atkinson JP, Giclas PC. Clinical and laboratory evaluation of complement deficiency. *J Allergy Clin Immunol*. 2004 Apr;113(4):585-93; quiz 594. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15100659>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/complement-component-2-deficiency>

Reviewed: June 2014

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services